

Appendix D

Appendix

Acoustic Terminology

Acoustics

The science of sound.

Ambient Noise

The distinctive acoustical characteristics of a given space consisting of all noise sources audible at that location. In many cases, the term ambient is used to describe an existing or pre-project condition such as the setting in an environmental noise study.

Attenuation

The reduction of an acoustic signal.

A-Weighting

A frequency-response adjustment of a sound level meter that conditions the output signal to approximate human response.

Decibel or dB

Fundamental unit of sound, defined as one-tenth of the logarithm of the ratio of the sound pressure squared over the reference pressure squared.

CNEL

Community Noise Equivalent Level. Defined as the 24-hour average noise level with noise occurring during evening hours (7 - 10 p.m.) weighted by a factor of three and nighttime hours weighted by a factor of 10 prior to averaging.

Frequency

The measure of the rapidity of alterations of a periodic signal, expressed in cycles per second or hertz.

Ldn

Day/Night Average Sound Level. Similar to CNEL but with no evening weighting.

Leq

Equivalent or energy-averaged sound level.

Lmax

The highest root-mean-square (RMS) sound level measured over a given period of time.

Loudness

A subjective term for the sensation of the magnitude of sound.

Masking

The amount (or the process) by which the threshold of audibility is for one sound is raised by the presence of another (masking) sound.

Noise

Unwanted sound.

Peak Noise

The level corresponding to the highest (not RMS) sound pressure measured over a given period of time. This term is often confused with the "Maximum" level, which is the highest RMS level.

 RT_{60}

The time it takes reverberant sound to decay by 60 dB once the source has been removed.

Sabin

The unit of sound absorption. One square foot of material absorbing 100% of incident sound has an absorption of 1 sabin.

Threshold

of Hearing

The lowest sound that can be perceived by the human auditory system, generally considered to be 0 dB for persons with perfect hearing.

Threshold of Pain

Approximately 120 dB above the threshold of hearing.

Impulsive

Sound of short duration, usually less than one second, with an abrupt onset and rapid decay.

Simple Tone

Any sound which can be judged as audible as a single pitch or set of single pitches